(8) Government Order No. 663-71-L. B. 281-09-11, dated 21st July 1910, stating that as all correspondence between the District Board and Taluk Boards are taking place in Kannada, the existing practice requires no change.

(9) Government Proceedings No. 10158-66—L. B. 216-08-13, dated 9th May 1910, laying down the procedure for drawing and disbursing travelling allowance to non-official members of District and Taluk Boards.

(10) Government Proceedings No. 10497-510—L. B. 252-09-6, dated 25th May 1910, sanctioning the budget estimates of the Shimoga District Board for the year 1910-11.

(11) Government Proceedings No. 10956-71—L. B. 243-09-15, dated 14th June 1910, sanctioning the budget estimates of the Local Funds General for the year 1910-11.

(12) Government Proceedings No. 11027-37—L. B. 364-09-1, dated 29th June 1910, passing orders in the matter of adjustment of contributions from Local Funds General to the District and Municipal Boards either as general grants-in-aid or grants for specific works.

(13) Government Proceedings No. 1192-3—L. B. 247-09-4, dated 3rd instant, sanctioning the establishment of a sweeper at Mandagadde and Agumbe on Rs. 6 each per mensem.

25. The next meeting of the Board may be held on the 24th September 1910.

K. SRINIVASA RAO,
President.

SANITARY.

PROCEEDINGS OF THE CENTRAL SANITARY BOARD.

READ—

Correspondence ending with letter No. 5092, dated the 3rd June 1910, from the Chief Engineer in Mysore, forwarding for consideration of the Central Sanitary Board a project amounting to Rs. 78,029 for the drainage and other works in the new Doddaholagere to the south of the Weavers' Lines, Mysore.

Resolution.—No. 1, dated 31st August 1910.

Resolved that the project be divided into and sent up in two sections, one for works as actually carried out and another for those remaining to be completed. In preparing the latter the principles of construction laid down in the recent note by the Chief Engineer on the Mysore drainage should receive attention as much as possible. The Board are agreed that the method in vogue is fraught with trouble and that the sooner a new departure is made the better.

In the preparation of the new scheme for providing underground pipes the following points should receive attention:—

(1) There should be a perfectly distinct statement of the cost of maintenance under the system which is the "separate" system and will include provision

(*a*) for removing sullage and eventually night-soil,

(*b*) for storm water.

(2) The removal of night-soil under the new system will only be possible from houses provided with properly arranged water closets. The pail system will have to be introduced and thoroughly carried out in all other houses, that is about 90 of the habitations of Mysore.

P. S. ACHYUTA RAO,
Officiating President.